



"unknown type" "intermediate language"

Search

Advanced Search

Web Show options...

Results 1 - 30 of about 817 for "unknown t

[CiteULike: Compiling polymorphism using intensional type analysis](#)

Aug 17, 2009 ... use a universal representation for objects of **unknown type** ... typing properties of an **intermediate language** that allows run-time type ...

www.citeulike.org/group/10995/article/5447063 - Cached

[DRuby - Technical Papers](#)

In this paper, we present the Ruby **Intermediate Language** (RIL), a Ruby front-end and ... and we discovered several previously **unknown type** errors. ...

www.cs.umd.edu/projects/PL/druby/publications.html - Cached - Similar

[Extensible type system for representing and checking consistency ...](#)

A typed **intermediate language** is even more difficult to implement if it must shown in Appendix A also includes an "**unknown**" **type**, which can represent ...

www.patentstorm.us/patents/7086041/description.html

[Methods for enhancing type reconstruction - US Patent 6981249 ...](#)

The portion includes an **unknown type** and a remainder of the portion. Inventor: Alexander, III, et al.6560774Verifier to check **intermediate language** ...

www.patentstorm.us/patents/6981249/description.html

[Generics in C#, Java, and C++](#)

... down to IL [**Intermediate Language**] and metadata just like any normal type. in other words, a function where the argument is the **unknown type**? ...

www.artima.com/intv/genericsP.html - Similar

[C \(programming language\) - Wikipedia, the free encyclopedia](#)

C is sometimes used as an **intermediate language** by implementations of other languages. Void pointers (void *) point to objects of **unknown type**, ...

[en.wikipedia.org/wiki/C_\(programming_language\)](http://en.wikipedia.org/wiki/C_(programming_language)) - Cached

[\[PPT\] Intensional Polymorphism in Type-Erasure Semantics](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Create functions from types to values; Code may branch on an **unknown type** Used by the language iML, the **Intermediate language** of TIL/ML and FLINT ...

www.seas.upenn.edu/~sweirich/talks/princeton.ppt

[Extensible type system for representing and checking consistency ...](#)

by MR Plesko - 2006 - Related articles

For example, C# and Microsoft **Intermediate Language** used in Appendix A also includes an "**unknown**" **type**, which can represent any type and optionally ...

www.freepatentsonline.com/7086041.html

[Type system for representing and checking consistency of ...](#)

by MR Plesko - 2003

An **unknown type** representation indicates that an element of the **intermediate language** is associated with an **unknown type**. A method of type-checking a code ...

www.freepatentsonline.com/y2005/0015673.html

[Show more results from www.freepatentsonline.com](#)

[\[PS\] Type Dispatch for Named Hierarchical Types](#)

File Format: Adobe PostScript

by N Glew - Cited by 37 - Related articles - All 19 versions

intermediate language. She might define a constructor of this sum, intbin, for an **unknown type**, e1, with a tag for a known type, e2. ...

glew.org/nglew/papers/tagging-icfp.ps.gz

[\[PDF\] Gradual Typing for Objects](#)

File Format: PDF/Adobe Acrobat - Quick View
by J Siek - 2007 - Cited by 32 - Related articles

The type safety proof for the **intermediate language** has its origins in the type system but relies on subtyping and treats the **unknown type** as the top ...
ece-www.colorado.edu/~siek/gradual-obj.pdf - Similar

[Type Dispatch for Named Hierarchical Types *](#)

by N Glew - 1999 - Cited by 37 - Related articles

intermediate language. She might define a constructor of this sum, intbin, for an **unknown type**, ei, with a tag for a known type, e2. ...
portal.acm.org/ft_gateway.cfm?id=317797&type=pdf - Similar

[Compiling polymorphism using intensional type analysis](#)

by R Harper - 1995 - Cited by 330 - Related articles - All 14 versions

... polymorphism use a universal representation for objects of **unknown type**. ... the typing properties of an **intermediate language** that allows run-time type ...
portal.acm.org/citation.cfm?id=199475 - Similar

[Show more results from portal.acm.org](#)

[Tag-free garbage collection using explicit type parameters ...](#)

... polymorphism use a universal representation for objects of **unknown type**. ...

Unfortunately, no current **intermediate language** supports this facility. ...
citeseer.ualr.edu:8083/citeseerx/showciting;jsessionid...?cid... - Cached

[\[PDF\] DYNAMIC TYPING WITH DEPENDENT TYPES](#)

File Format: PDF/Adobe Acrobat - Quick View

by X Ou - Cited by 26 - Related articles - All 17 versions

In these **intermediate-language** programs, all dynamic checks represent values of completely **unknown type** and a typecase operation to the simply- ...
www2.research.att.com/~yitzhak/publications/dynamic.pdf

[TIL: A Type-Directed Optimizing Compiler for ML](#)

by D Tarditi - Cited by 376 - Related articles - All 45 versions

unknown type, then we use typecase ... is a more regular **intermediate language** than Lmli that facilitates optimization. The translation ...
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.63.777&rep...

[Wapedia - Wiki: C \(programming language\)](#)

C is sometimes used as an **intermediate language** by implementations of other languages.

.... Void pointers (void *) point to objects of **unknown type**, ...
[wapedia.mobi/en/C_\(programming_language\)?t=4](http://wapedia.mobi/en/C_(programming_language)?t=4) - Cached

[\[PDF\] From System F to Typed Assembly Language](#)

File Format: PDF/Adobe Acrobat - Quick View

by G MORRISSETT - Cited by 770 - Related articles - All 56 versions

describes the first **intermediate language**, λK , and gives a typed CPS pointers may be associated with a type, and that a tag for an **unknown type** α can ...
www.cs.princeton.edu/~dpw/papers/tai-toplas.pdf - Similar

[Gradual Typing for Objects](#)

by J Siek - 2007 - Cited by 32 - Related articles

We do not allow "no-op" casts in the **intermediate language** to simplify the type system but relies on subtyping and treats the **unknown type** as the top ...
www.springerlink.com/index/a052j27um6829356.pdf - Similar

[\[PS\] TIL: A Type-Directed Optimizing Compiler for ML](#)

File Format: Adobe PostScript - View as HTML

by D Tarditi - Cited by 376 - Related articles - All 45 versions

intermediate language. The phase after closure conversion ... ment of **unknown type**, then we use typecase to determine. the proper representation, according ...
www.cs.cornell.edu/info/People/jgm/papers/pldi96.ps

[Stochastic Modelling of Communication Protocols from Source Code ...](#)

by MJA Smith - 2007 - Cited by 3 - Related articles - All 4 versions

Sep 4, 2007 ... and appear externally as the **unknown type** CIL: **Intermediate language** and tools for analysis and transformation of C programs. linkinghub.elsevier.com/retrieve/pii/S1571066107005622 - Similar

[\[PDF\] TIL: A Type-Directed Optimizing Compiler for ML](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

by D Tarditi - 1996 - Cited by 376 - Related articles

unknown type, then we use typecase to determine the proper ... is a more regular **intermediate language** than Lmli that facilitates optimization. handle.dtic.mil/100.2/ADA306265 - Similar

[\[PS\] Abstract 1 Introduction 2 Type-directed unboxing](#)

File Format: Adobe PostScript - [View as HTML](#)

by X Leroy - Cited by 48 - Related articles - All 6 versions

tions with statically **unknown type** test the array tag at run-time, and if it is a oat array,

special loop constructs in the **intermediate language**.

www.cs.brown.edu/~muller/TIC97/Leroy.ps.gz

[Intensional polymorphism in type-erasure semantics](#)

by K CRARY - 2002 - Cited by 140 - Related articles

unknown type, and that **unknown type**'s identity can be determined at run time demonstrate a simple use of λR as an **intermediate language**.

journals.cambridge.org/production/action/cjoGetFulltext?fulltextid... - Similar

[\[PDF\] AUTOMATIC TRANSFORMATION OF HIGH-LEVEL LOGIC SPECIFICATIONS INTO ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

by A Pan - Related articles - All 5 versions

Ib make our **intermediate language** more uniform, we will use Prolog means the

parameter is a structured type, with the element of **unknown type**.

www.cis.uab.edu/bryant/papers/ics90.pdf

[\[PS\] Foundational Typed Assembly Language for Grid Computing](#)

File Format: Adobe PostScript - [View as HTML](#)

by JC Vanderwaart - Cited by 11 - Related articles - All 12 versions

A Generic **Intermediate Language** In order to show that TALT-R's type system m

arguments, a portion of **unknown type** p1, the exception handler (of type ...

reports-archive.adm.cs.cmu.edu/anon/2004/CMU-CS-04-104.ps

[\[PDF\] Towards Open Type Functions for Haskell](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

by T Schrijvers - Cited by 9 - Related articles - All 11 versions

Initially, type inference assigns an **unknown type** a to c. The insert call requires the strongly-typed **intermediate language**.

research.microsoft.com/en-us/um/people/simonpj/papers/.../iit2007.pdf

[C \(programming language\): Facts, Discussion Forum, and ...](#)

In computer science, an **intermediate language** is the language of an abstract machine

Void pointers (void *) point to objects of **unknown type**.

www.absoluteastronomy.com/topics/C_(programming_language) - Cached

[CodeProject: Code generation at runtime. Free source code and ...](#)

Mar 16, 2006 ... Using reflection to process an object of an **unknown type** at ... NET

assemblies are collections of **Intermediate Language** (IL) code compiled ...

www.codeproject.com/.../NET_Framework/General - Cached - Similar

[\[PDF\] Gradual Typing for Functional Languages](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

by JC Siek - Cited by 34 - Related articles - All 14 versions

number and whose second element has an **unknown type**. To pro- Next we define a

type system for the **intermediate language** $\lambda \langle \tau \rangle$...

scheme2006.cs.uchicago.edu/13-siek.pdf - Similar

1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Go](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)